Author index

Abel, S. *see* Wong, L.M.
Adam, L. and Somerville, S.C. *Genetic characterization of five powdery mildew disease resistance loci in* Arabidopsis thaliana 341
Al-Babili, S., v. Lintig, J., Haubruck, H. and Beyer, P. *A novel, soluble form of phytoene desaturase form* Narcissus pseudonarcissus *chromoplasts is Hsp70-complexed and competent for flavinylation, membrane association and enzymatic activation* 601
Albà, M.M. *see* Niogret, M.F.
Albert, S. *see* Devic, M.
Alizedeh, H. *see* Schnabelrauch, L.S.
Alonso-Blanco, C. *see* Fransz, P.F.
Altmann, T. *see* Kauschmann, A.
Amrhein, N. *see* Torres-Schumann, S.
Amselem, J. *see* Cooke, R.
Apel, K. *see* Menzel, G.
Apel, K. *see* Runge, S.
Apel, P. *see* Zrenner, R.
Aracri, B. *see* Corona, V.
Armstrong, G.A. *see* Runge, S.
Astruc, S. *see* Lagarde, D.
Audeon, C. *see* Moreau-Mhiri, C.

Bachem, C.W.B., van der Hoeven, R.S., de Bruijn, S.M., Vreugdenhil, D., Zabeau, M. and Visser, R.G.F. *Visualization of differential gene expression using a novel method of RNA fingerprinting based on AFLP: analysis of gene expression during potato tuber development* 745
Bacic, A. *see* Du, H.
Bacic, A. *see* Sommer-Knudsen, J.
Baldan, B. *see* Pillon, E.
Balestrazzi, A. *see* Schmidt, R.
Bard, M. *see* Gachotte, D.
Bardet, C. *see* Cooke, R.
Barker, D.G. *see* Bauchrowitz, M.A.
Barry, C.S., Blume, B., Bouzayen, M., Cooper, W., Hamilton, A.J. and Grierson, D. *Differential expression of the 1-aminocyclopropane-1-carboxylate oxidase gene family of tomato* 525
Bartholomew, D.M. *see* Tsiantis, M.S.
Bartley, G.E. *see* Corona, V.
Bartling, D. *see* Schmidt, R.C.
Basset, M. *see* Lagarde, D.
Batschauer, A., Rocholl, M., Kaiser, T., Nagatani, A., Furuya, M. and Schäfer, E. *Blue and UV-A light regulated* CHS *expression in* Arabidopsis *independent of phytochrome A and phytochrome B* 63
Bauchrowitz, M.A., Barker, D.G. and Truchet, G. *Lectin genes are expressed throughout root nodule development and during nitrogen-fixation in the* Rhizobium-Medicago *symbiosis* 31
Beale, M. *see* Bennett, M.
Bennett, M., Gallagher, M., Fagg, J., Bestwick, C., Paul, T., Beale, M. and Mansfield, J. *The hypersensitive reaction, membrane damage and accumulation of autofluorescent phenolics in lettuce cells challenged by* Bremia lactucae 851
Benveniste, P. *see* Gachotte, D.
Bergero, R. *see* Bonfante, P.
Bernier, G. *see* Corbesier, L.
Bestwick, C. *see* Bennett, M.
Beyer, P. *see* Al-Babili, S.
Bhatt, A.M., Page, T., Lawson, E.J.R., Lister, C. and Dean, C. *Use of* Ac *as an insertional mutagen in* Arabidopsis 935
Biget, E. *see* Schnorr, K.M.
Blume, B. *see* Barry, C.S.
Bohnert, H.J. *see* Ishitani, M.
Bolle, C., Kusnetsov, V.V., Herrmann, R.G. and Oelmüller, R. *The spinach* AtpC *and* AtpD *genes contain elements for light-regulated, plastid-dependent and organ-specific expression in the vicinity of the transcription start sites* 21
Bonfante, P., Bergero, R., Uribe, X., Romera, C., Rigau, J. and Puigdomenech, P. *Transcriptional activation of a maize α-tubulin gene in mycorrhizal maize and transgenic tobacco plants* 737
Bonfiglioli, R.G., Webb, D.R. and Symons, R.H. *Tissue and intracellular distribution of coconut cadang cadang viroid and citrus exocortis viroid determined by* in situ *hybridization and confocal laser scanning and transmission electron microscopy* 457
Bonnema, G., Hontelez, J., Verkerk, R., Zhang, Y.Q., van Daelen, R., van Kammen, A. and Zabel, P. *An improved method of partially digesting plant megabase DNA suitable for YAC cloning: application to the construction of a 5.5 genome equivalent YAC library* 125
Borisjuk, L. *see* Weber, H.
Bornhauser, A. *see* Ishitani, M.
Bougri, O. and Grimm, B. *Members of a low-copy number gene family encoding glutamyl-tRNA reductase are differentially expressed in barley* 867
Bourgeois, E. *see* Chevalier, C.
Bouyssou, H. *see* Lahjouji, K.
Bouzayen, M. *see* Barry, C.S.
Boylan, M.T. *see* van Tuinen, A.
Braam, J. *see* Xu, W.
Braun, H.-P. *see* Jansch, L.
Broer, I. *see* Kriete, G.
Brown, J.W.S. *see* Simpson, C.G.
Buchner, P. *see* Weber, H.

Campbell, P. *see* Xu, W.
Canut, H. *see* Lahjouji, K.
Carney, K. *see* Pang, S.-Z.
Carrasco, A. *see* Lahjouji, K.
Cazaux, L. *see* Lahjouji, K.
Chabrier, P. *see* Cooke, R.
Charpenteau, J.-L. *see* Cooke, R.
Cherry, J.R. *see* Jordan, E.T.
Cheung, A.Y. *see* Wang, H.
Chevalier, C., Bourgeois, E., Just, D. and Raymond, P. *Metabolic regulation of asparagine synthetase gene expression in maize (*Zea mays *L.) root tips* 1
Chiapello, H. *see* Cooke, R.
Chinn, A.M., Payne, S.R. and Comai, L. *Variegation and silencing of the* Heat Shock Cognate 80 *gene are relieved by a bipartite downstream regulatory element* 325
Clabault, G. *see* Cooke, R.
Clark, G. *see* Simpson, C.G.
Clarke, A.E. *see* Du, H.
Clarke, A.E. *see* Sommer-Knudsen, J.
Clément, B. *see* Cooke, R.
Cnops, G. *see* Schmidt, R.
Comai, L. *see* Chinn, A.M.
Conejero, G. *see* Lagarde, D.
Conejero, V. *see* Tornero P.
Cooke, R., Raynal, M., Laudié, M., Grellet, F., Delseny, M., Morris, P.-C., Guerrier, D., Giraudat, J., Quigley, F., Clabault,

G., Li, Y.-F., Mache, R., Krivitzky, M., Gy, I.J.-J., Kreis, M., Lecharny, A., Parmentier, Y., Marbach, J., Fleck, J., Clément, B., Philipps, G., Hervé, C., Bardet, C., Tremousaygue, D., Lescure, B., Lacomme, C., Roby, D., Jourjon, M.-F., Chabrier, P., Charpenteau, J.-L., Desprez, T., Amselem, J., Chiapello, H. and Höfte, H. *Further progress towards a catalogue of all* Arabidopsis *genes: analysis of a set of 5000 non-redundant ESTs* 101

Cooper, W. *see* Barry, C.S.

Copenhaver, G.P. and Pikaard, C.S. *RFLP and physical mapping with an rDNA-specific endonuclease reveals that nucleolus organizer regions of* Arabidopsis thaliana *adjoin the telomeres on chromosomes 2 and 4* 259

Copenhaver, G.P. and Pikaard, C.S. *Two-dimensional RFLP analyses reveal megabase-sized clusters of rRNA gene variants in* Arabidopsis thaliana, *suggesting local spreading of variants as the mode for gene homogenization during concerted evolution* 273

Corbesier, L., Gadisseur, I., Silvestre, G., Jacqmard, A. and Bernier, G. Design in Arabidopsis thaliana *of a synchronous system of floral induction by one long day* 947

Corona, V., Aracri, B., Kosturkova, G., Bartley, G.E., Pitto, L., Giorgetti, L., Scolnik, P.A. and Giuliano, G. *Regulation of a carotenoid biosynthesis gene promoter during plant development* 505

Coupland, G. *see* Lagercrantz, U.

Cranmer, A.M. *see* Voelker, T.A.

Culiáñez-Macià, F.A. *see* Niogret, M.F.

Davidson, D. *see* Simpson, C.G.

Davies, H.M. *see* Voelker, T.A.

Davies, H.V. *see* Kumar, A.

de Almeida Engler, J. *see* Van der Eycken, W.

de Bruijn, S.M. *see* Bachem, C.W.B.

de Jong, J.H. *see* Fransz, P.F.

de la Foata, M. *see* Wong, L.M.

Dean, C. *see* Bhatt, A.M.

Dean, C. *see* Schmidt, R.

Dehesh, K., Jones, A., Knutzon, D.S. and Voelker, T.A. *Production of high levels of 8:0 and 10:0 fatty acids in transgenic canola by overexpression of* Ch FatB2, *a thioesterase cDNA from* Cuphea hookeriana 167

Delseny, M. *see* Cooke, R.

Delseny, M. *see* Devic, M.

Desprez, T. *see* Cooke, R.

Devic, M., Albert, S. and Delseny, M. *Induction and expression of seed-specific promoters in* Arabidopsis *embryo-defective mutants* 205

Devlin, P.F *see* Halliday, K.

Dietze, J. *see* Jackson, S.D.

Draper, J. *see* Mur, L.A.J.

Du, H., Simpson, R.J., Clarke, A.E. and Bacic, A. *Molecular characterization of a stigma-specific gene encoding an arabinogalactan-protein (AGP) from* Nicotiana alata 313

Edelman, M. *see* Jansen, M.A.K.

Elmayan, T. and Vaucheret, H. *Expression of single copies of a strongly expressed* 35S *transgene can be silenced post-transcriptionally* 787

Fagg, J. *see* Bennett, M.

Feldman, K.A. *see* Mandel, M.A.

Ferault, M. *see* Moreau-Mhiri, C.

Fernández, E. *see* Navarro, M.T.

Filipowicz, W. *see* Liu, H.-X.

Fischer, C. and Neuhaus, G. *Influence of auxin on the establishment of bilateral symmetry in monocots* 659

Fleck, J. *see* Cooke, R.

Franklin, F.C.H. *see* Hearn, M.J.

Fransz, P.F., Alonso-Blanco, C., Liharska, T.B., Peeters, A.J.M., Zabel, P. and de Jong, J.H. *High-resolution physical mapping in* Arabidopsis thaliana *and tomato by fluorescence* in situ *hybridization to extended DNA fibres* 421

Fransz, P.F., Stam, M., Montijn, B., Ten Hoopen, R., Wiegant, J., Kooter, J.M., Oud, O. and Nanninga, N. *Detection of single-copy genes and chromosome rearrangements in* Petunia hybrida *by fluorescence* in situ *hybridization* 767

Frick, G. *see* Runge, S.

Fridlender, M., Harrison, K., Jones, J.D.G. and Levy, A.A. *Repression of the* Ac-*transposase gene promoter by* Ac *transposase* 911

Furuya M. *see* Kim, B.C.

Furuya, M. *see* Batschauer, A.

Gaba, V. *see* Jansen, M.A.K.

Gachotte, D., Husselstein, T., Bard, M., Lacroute, F. and Benveniste, P. *Isolation and characterization of an* Arabidopsis thaliana *cDNA encoding a* Δ^7-sterol-C-5-desaturase by functional complementation of a defective yeast mutant 391

Gadisseur, I. *see* Corbesier, L.

Gahrtz, M., Schmelzer, E., Stolz, J. and Sauer, N. *Expression of the* PmSUC1 *sucrose carrier gene from* Plantago major *L. is induced during seed development* 93

Gaillard, C. *see* Schnorr, K.M.

Gallagher, M. *see* Bennett, M.

Galván, A. *see* Navarro, M.T.

Gaymard, F. *see* Lagarde, D.

Gheysen, G. *see* Van der Eycken, W.

Gilroy, S. *see* Lee, H.-S.

Giorgetti, L. *see* Corona, V.

Giraudat, J. *see* Cooke, R.

Giuliano, G. *see* Corona, V.

Goday, A. *see* Niogret, M.F.

Goldsbrough, A.P., Tong, Y. and Yoder, J.I. Lc *as a non-destructive visual reporter and transposition excision marker gene for tomato* 927

Gonsalves, D. *see* Pang, S.-Z.

Gopalan, S. *see* Strobel, N.E.

Grandbastien, M.-A. *see* Moreau-Mhiri, C.

Greenberg, B.M. *see* Jansen, M.A.K.

Grellet, F. *see* Cooke, R.

Grierson, D. *see* Barry, C.S.

Grignon, C. *see* Lagarde, D.

Grimm, B. *see* Bougri, O.

Guerrier, D. *see* Cooke, R.

Gy, I.J.-J. *see* Cooke, R.

Hain, R. *see* Schmidt, R.C.

Halliday, K., Devlin, P.F, Whitelam, G.C., Hanhart, C. and Koornneef, M. *The* ELONGATED *gene of* Arabidopsis *acts independently of light and gibberellins in the control of elongation growth* 305

Hamilton, A.J. *see* Barry, C.S.

Hanhart, C. *see* Halliday, K.

Hanhart, C.J. *see* van Tuinen, A.

Harrison, K. *see* Fridlender, M.

Harrison, M.J. *A sugar transporter from* Medicago truncatula:

altered expression pattern in roots during vesicular-arbuscular (VA) mycorrhizal associations 491
Hartnett, L.K. *see* McDaniel, C.N.
Hattori, T. *see* Nakagawa, H.
Haubruck, H. *see* Al-Babili, S.
Hayes, T.R. *see* Voelker, T.A.
He, S.Y. *see* Strobel, N.E.
Hearn, M.J., Franklin, F.C.H. and Ride, J.P. *Identification of a membrane glycoprotein in pollen of* Papaver rhoeas *which binds stigmatic self-incompatibility (S-) proteins* 467
Heierli, D. *see* Torres-Schumann, S.
Heins, L. and Schmitz, U.K. *A receptor for protein import into potato mitochondria* 829
Herrera-Estrella, L. *see* Mandel, M.A.
Herrmann, R.G. *see* Bolle, C.
Hervé, C. *see* Cooke, R.
Hetherington, A.M. *see* Webb, A.A.R.
Heyer, A. *see* Jackson, S.D.
Höfte, H. *see* Cooke, R.
Hontelez, J. *see* Bonnema, G.
Husselstein, T. *see* Gachotte, D.

Iglesias, V.A. *see* Park, Y.-D.
Inzé, D. *see* Van der Eycken, W.
Ishii, T. *see* Kawaguchi, K.
Ishitani, M., Majumder, A.L., Bornhouser, A., Michalowski, C.B., Jensen, R.G. and Bohnert, H.J. *Coordinate transcriptional induction of* myo-*inositol metabolism during environmental stress* 537

Jackson, S.D., Heyer, A., Dietze, J. and Prat, S. *Phytochrome B mediates the photoperiodic control of tuber formation in potato* 159
Jacqmard, A. *see* Corbesier, L.
Jan, F.-J. *see* Pang, S.-Z.
Jänsch, L., Kruft, V., Schmitz, U.K. and Braun, H.-P. *New insights into the composition, molecular mass and stoichiometry of the protein complexes of plant mitochondria* 357
Jansen, M.A.K., Gaba, V., Greenberg, B.M., Mattoo, A.K. and Edelman, M. *Low threshold levels of ultraviolet-B in a background of photosynthetically active radiation trigger rapid degradation of the D2 protein of photosystem-II* 693
Jeddeloh, J.A. and Richards, E.J. *^{m}CCG methylation in angiosperms* 579
Jensen, R.G. *see* Ishitani, M.
Jessop, A. *see* Kauschmann, A.
Ji, C. *see* Strobel, N.E.
Jones, A. *see* Dehesh, K.
Jones, J.D.G. *see* Fridlender, M.
Jordan, E.T., Cherry, J.R., Walker, J.M. and Vierstra, R.D. *The amino-terminus of phytochrome A contains two distinct functional domains* 243
Jourjon, M.-F. *see* Cooke, R.
Just, D. *see* Chevalier, C.

Kaiser, T. *see* Batschauer, A.
Kang, B.J. *see* Kim, B.C.
Kao, T.-h. *see* Lee, H.-S.
Karunanandaa, B. *see* Lee, H.-S.
Kauschmann, A., Jessop, A., Koncz, C., Szekeres, M., Willmitzer, L. and Altmann, T. *Genetic evidence for an essential role of brassinosteroids in plant development* 701
Kawaguchi, K., Shibuya, N. and Ishii, T. *A novel tetrasaccharide, with a structure similar to the terminal sequence of an arabinogalactan-protein, accumulates in rice anthers in a stage-specific manner* 777
Keller, B. *see* Torres-Schumann, S.
Kendrick, R.E. *see* van Tuinen, A.
Kerckhoffs, L.H.J. *see* van Tuinen, A.
Kieliszewski, M. *see* Schnabelrauch, L.S.
Kim, B.C., Soh, M.S., Kang, B.J., Furuya M. and Nam, H.G. *Two dominant photomorphogenic mutations of* Arabidopsis thaliana *identified as suppressor mutations of* hy2 441
Knox, J.P. *see* Willats, W.G.T.
Knutzon, D.S. *see* Dehesh, K.
Koncz, C. *see* Kauschmann, A.
Koornneef, M. *see* Halliday, K.
Koornneef, M. *see* van Tuinen, A.
Kooter, J.M. *see* Fransz, P.F.
Kosturkova, G. *see* Corona, V.
Krause, K.-P. *see* Zrenner, R.
Kreis, M. *see* Cooke, R.
Kriete, G., Niehaus, K., Perlick, A.M., Pühler, A. and Broer, I. *Male sterility in transgenic tobacco plants induced by tapetum-specific deacetylation of the externally applied non-toxic compound* N-*acetyl-*L*-phosphinothricin* 809
Krivitzky, M. *see* Cooke, R.
Kruft, V. *see* Jansch, L.
Kuc, J.A. *see* Strobel, N.E.
Kumar, A., Taylor, M.A., Mad Arif, S.A. and Davies, H.V. *Potato plants expressing antisense and sense S-adenosylmethionine decarboxylase (SAMDC) transgenes show altered levels of polyamines and ethylene: antisense plants display abnormal phenotypes* 147
Kusnetsov, V.V. *see* Bolle, C.

Lacomme, C. *see* Cooke, R.
Lacroute, F. *see* Gachotte, D.
Lagarde, D., Basset, M., Lepetit, M., Conejero, G., Gaymard, F., Astruc, S. and Grignon, C. *Tissue-specific expression of* Arabidopsis AKT1 *gene is consistent with a role in K^{+} nutrition* 195
Lagercrantz, U., Putterill, J., Coupland, G. and Lydiate, D. *Comparative mapping in* Arabidopsis *and* Brassica, *fine scale genome collinearity and congruence of genes controlling flowering time* 13
Lahjouji, K., Carrasco, A., Bouyssou, H., Cazaux, L., Marigo, G. and Canut, H. *Identification with a photoaffinity reagent of a tonoplast protein involved in vacuolar malate transport of* Catharanthus roseus 799
Laloue, M. *see* Schnorr, K.M.
Lamport, D.T.A. *see* Schnabelrauch, L.S.
Laudié, M. *see* Cooke, R.
Lawson, E.J.R. *see* Bhatt, A.M.
Lecharny, A. *see* Cooke, R.
Lee, H.-S., Karunanandaa, B., McCubbin, A., Gilroy, S. and Kao, T.-h. *PRK1, a receptor-like kinase of* Petunia inflata, *is essential for postmeiotic development of pollen* 613
Lemieux, B. *see* Negruk, V.
León, P. *see* Mandel, M.A.
Lepetit, M. *see* Lagarde, D.
Lescure, B. *see* Cooke, R.
Levy, A.A. *see* Fridlender, M.
Li, Y.-F. *see* Cooke, R.
Liharska, T.B. *see* Fransz, P.F.
Lister, C. *see* Bhatt, A.M.
Liu, H.-X. and Filipowicz, W. *Mapping of branchpoint nucleotides in mutant pre-mRNAs expressed in plant cells* 381

Lo Schiavo, F. *see* Pillon, E.
Love, K. *see* Schmidt, R.
Lucas, H. *see* Moreau-Mhiri, C.
Lydiate, D. *see* Lagercrantz, U.

Mache, R. *see* Cooke, R.
Mad Arif, S.A. *see* Kumar, A.
Majumder, A.L. *see* Ishitani, M.
Mall, Y. *see* Wong, L.M.
Mandel, M.A., Feldman, K.A., Herrera-Estrella, L., Rocha-Sosa, M. and León, P. CLA1, *a novel gene required for chloroplast development, is highly conserved in evolution* 649
Mansfield, J. *see* Bennett, M.
Mansfield, T.A. *see* Webb, A.A.R.
Marbach, J. *see* Cooke, R.
Mariani, P. *see* Pillon, E.
Marigo, G. *see* Lahjouji, K.
Mattoo, A.K. *see* Jansen, M.A.K.
Matzke, A.J.M. *see* Park, Y.-D.
Matzke, M.A. *see* Park, Y.-D.
McAinsh, M.R. *see* Webb, A.A.R.
McCubbin, A. *see* Lee, H.-S.
McDaniel, C.N., Hartnett, L.K. and Sangrey, K.A. *Regulation of node number in day-neutral* Nicotiana tabacum*: a factor in plant size* 55
McNevin, J.P. *see* Negruk, V.
Melzer, S. *see* Menzel, G.
Menzel, G., Apel, K. and Melzer, S. *Identification of two MADS box genes that are expressed in the apical meristem of the long-day plant* Sinapsis alba *in transition to flowering* 399
Michalowski, C.B. *see* Ishitani, M.
Montijn, B. *see* Fransz, P.F.
Moreau-Mhiri, C., Morel, J.-B., Audeon, C., Ferault, M., Grandbastien, M.-A. and Lucas, H. *Regulation of expression of the tobacco Tnt1 retrotransposon in heterologous species following pathogen-related stresses* 409
Morel, J.-B. *see* Moreau-Mhiri, C.
Morris, P.-C. *see* Cooke, R.
Moscone, E.A. *see* Park, Y.-D.
Müller, A. *see* Schmidt, R.C.
Mur, L.A.J., Naylor, G., Warner, S.A.J., Sugars, J.M., White, R.F. and Draper, J. *Salicylic acid potentiates defence gene expression in tissue exhibiting acquired resistance to pathogen attack* 559
Murphy, D.J. *see* Ross, J.H.E.

Nagatani, A. *see* Batschauer, A.
Nagatani, A. *see* van Tuinen, A.
Nakagawa, H., Ohmiya, K. and Hattori, T. *A rice bZIP protein, designated OSBZ8, is rapidly induced by abscisic acid* 217
Nam, H.G. *see* Kim, B.C.
Nanninga, N. *see* Fransz, P.F.
Navarro, M.T., Prieto, R., Fernández, E. and Galván, A. *Constitutive expression of nitrate reductase changes the regulation of nitrate and nitrite transporters in* Chlamydomonas reinhardtii 819
Naylor, G. *see* Mur, L.A.J.
Negruk, V., Yang, P., Subramanian, M., McNevin, J.P. and Lemieux, B. *Molecular cloning and characterization of the* CER2 *gene of* Arabidopsis thaliana 137
Neuhaus, G. *see* Fischer, C.
Niehaus, K. *see* Kriete, G.
Niogret, M.F., Culiáñez-Macià, F.A., Goday, A., Albà, M.M. and Pagès, M. *Expression and cellular localization of* rab28 *mRNA and Rab28 protein during maize embryogenesis* 549
Nygaard, P. *see* Schnorr, K.M.

Oelmüller, R. *see* Bolle, C.
Ohmiya, K. *see* Nakagawa, H.
Oud, O. *see* Fransz, P.F.

Page, T. *see* Bhatt, A.M.
Pagès, M. *see* Niogret, M.F.
Pang, S.-Z., Jan, F.-J., Carney, K., Stout, J., Tricoli, D.M., Quemada, H.D. and Gonsalves, D. *Post-transcriptional transgene silencing and consequent tospovirus resistance in transgenic lettuce are affected by transgene dosage and plant development* 899
Papp, I. *see* Park, Y.-D.
Park, Y.-D., Papp, I., Moscone, E.A., Iglesias, V.A., Vaucheret, H., Matzke, A.J.M. and Matzke, M.A. *Gene silencing mediated by promoter homology occurs at the level of transcription and results in meiotically heritable alterations in methylation and gene* 183
Parmentier, Y. *see* Cooke, R.
Paul, T. *see* Bennett, M.
Payne, S.R. *see* Chinn, A.M.
Peeters, A.J.M. *see* Fransz, P.F.
Perlick, A.M. *see* Kriete, G.
Philipps, G. *see* Cooke, R.
Pikaard, C.S. *see* Copenhaver, G.P.
Pikaard, C.S. *see* Copenhaver, G.P.
Pillon, E., Terzi, M., Baldan, B., Mariani, P. and Lo Schiavo, F. *A protocol for obtaining embryogenic cell lines from* Arabidopsis 573
Pitto, L. *see* Corona, V.
Prat, S. *see* Jackson, S.D.
Prieto, R. *see* Navarro, M.T.
Pühler, A. *see* Kriete, G.
Puigdomenech, P. *see* Bonfante, P.
Putterill, J. *see* Lagercrantz, U.

Quail, P.H. *see* van Tuinen, A.
Quemada, H.D. *see* Pang, S.-Z.
Quigley, F. *see* Cooke, R.

Raymond, P. *see* Chevalier, C.
Raynal, M. *see* Cooke, R.
Richards, E.J. *see* Jeddeloh, J.A.
Ride, J.P. *see* Hearn, M.J.
Rigau, J. *see* Bonfante, P.
Ringli, C. *see* Torres-Schumann, S.
Roby, D. *see* Cooke, R.
Rocha-Sosa, M. *see* Mandel, M.A.
Rocholl, M. *see* Batschauer, A.
Romera, C. *see* Bonfante, P.
Ross, J.H.E. and Murphy, D.J. *Characterization of anther-expressed genes encoding a major class of extracellular oleosin-like proteins in the pollen coat of* Brassicaceae 625
Runge, S., Sperling, U., Frick, G., Apel, K. and Armstrong, G.A. *Distinct roles for light-dependent NADPH:protochlorophyllide oxidoreductases (POR) A and B during greening in higher plants* 513

Sangrey, K.A. *see* McDaniel, C.N.
Sauer, N. *see* Gahrtz, M.
Schäfer, E. *see* Batschauer, A.
Schmelzer, E. *see* Gahrtz, M.

Schmidt, R., West, J., Cnops, G., Love, K., Balestrazzi, A. and Dean, C. *Detailed description of four YAC contigs representing 17 Mb of chromosome 4 of* Arabidopsis thaliana *ecotype Columbia* 755
Schmidt, R.-C., Müller, A., Hain, R., Bartling, D. and Weiler, E.W. *Transgenic tobacco plants expressing the* Arabidopsis thaliana *nitrilase II enzyme* 683
Schmitz, U.K. *see* Heins, L.
Schmitz, U.K. *see* Jansch, L.
Schnabelrauch, L.S., Kieliszewski, M., Upham, B.L., Alizedeh, H. and Lamport, D.T.A. *Isolation of pI 4.6 extensin peroxidase from tomato cell suspension cultures and identification of Val–Tyr–Lys as putative intermolecular cross-link site* 477
Schnorr, K.M., Gaillard, C., Biget, E., Nygaard, P. and Laloue, M. *A second form of adenine phosphoribosyltransferase in* Arabidopsis thaliana *with relative specificity towards cytokinins* 891
Scolnik, P.A. *see* Corona, V.
Shen, N. *see* Wong, L.M.
Shibuya, N. *see* Kawaguchi, K.
Silvestre, G. *see* Corbesier, L.
Simpson, C.G., Clark, G., Davidson, D., Smith, P. and Brown, J.W.S. *Mutation of putative branchpoint consensus sequences in plant introns reduces splicing efficiency* 369
Simpson, R.J. *see* Du, H.
Smith, J.A.C. *see* Tsiantis, M.S.
Smith, P. *see* Simpson, C.G.
Soh, M.S. *see* Kim, B.C.
Sommer-Knudsen, J., Clarke, A.E. and Bacic, A. *A galactose-rich, cell-wall glycoprotein from styles of* Nicotiana alata 71
Somerville, S.C. *see* Adam, L.
Sonnewald, U. *see* Zrenner, R.
Sperling, U. *see* Runge, S.
Stam, M. *see* Fransz, P.F.
Stickens, D. and Verbelen, J.-P. *Spatial structure of mitochondria and ER denotes changes in cell physiology of cultured tobacco protoplasts* 85
Stolz, J. *see* Gahrtz, M.
Stout, J. *see* Pang, S.-Z.
Strobel, N.E., Ji, C., Gopalan, S., Kuc, J.A. and He, S.Y. *Induction of systemic acquired resistance in cucumber by* Pseudomonas syringae *pv.* syringae *61 $HrpZ_{Pss}$ protein* 431
Subramanian, M. *see* Negruk, V.
Sugars, J.M. *see* Mur, L.A.J.
Symons, R.H. *see* Bonfiglioli, R.G.
Szekeres, M. *see* Kauschmann, A.

Taylor, M.A. *see* Kumar, A.
Ten Hoopen, R. *see* Fransz, P.F.
Terzi, M. *see* Pillon, E.
Theologis, A. *see* Wong, L.M.
Tong, Y. *see* Goldsbrough, A.P.
Tornero P., Conejero, V. and Vera, P. *Phloem-specific expression of a plant homeobox gene during secondary phases of vascular development* 639
Torres-Schumann, S., Ringli, C., Heierli, D., Amrhein, N. and Keller, B. In vitro *binding of the tomato bZIP transcriptional activator VSF-1 to a regulatory element that controls xylem-specific gene expression* 283
Tremousaygue, D. *see* Cooke, R.
Tricoli, D.M. *see* Pang, S.-Z.
Truchet, G. *see* Bauchrowitz, M.A.
Tsiantis, M.S., Bartholomew, D.M. and Smith, J.A.C. *Salt regulation of transcript levels for the c subunit of a leaf vacuolar H^+-ATPase in the halophyte* Mesembryanthemum crystallinum 729
Turner, J.C. *see* Voelker, T.A.

Upham, B.L. *see* Schnabelrauch, L.S.
Uribe, X. *see* Bonfante, P.

van Daelen, R. *see* Bonnema, G.
Van der Eycken, W., de Almeida Engler, J., Inzé, D., Van Montagu, M. and Gheysen, G. *A molecular study of root-knot nematode-induced feeding sites* 45
van der Hoeven, R.S. *see* Bachem, C.W.B.
van Kammen, A. *see* Bonnema, G.
Van Montagu, M. *see* Van der Eycken, W.
van Tuinen, A., Hanhart, C.J., Kerckhoffs, L.H.J., Nagatani, A., Boylan, M.T., Quail, P.H., Kendrick, R.E. and Koornneef, M. *Analysis of phytochrome-deficient* yellow-green-2 *and* aurea *mutants of tomato* 173
Vargheese, A.K. *see* Xu, W.
Vaucheret, H. *see* Elmayan, T.
Vaucheret, H. *see* Park, Y.-D.
Vera, P. *see* Tornero P.
Verbelen, J.-P. *see* Stickens, D.
Verkerk, R. *see* Bonnema, G.
Vierstra, R.D. *see* Jordan, E.T.
Visser, R.G.F. *see* Bachem, C.W.B.
Voelker, T.A. *see* Dehesh, K.
Voelker, T.A., Hayes, T.R., Cranmer, A.M., Turner, J.C. and Davies, H.M. *Genetic engineering of a quantitative trait: metabolic and genetic parameters influencing the accumulation of laurate in rapeseed* 229
von Lintig, J. *see* Al-Babili, S.
Vreugdenhil, D. *see* Bachem, C.W.B.

Walker, J.M. *see* Jordan, E.T.
Wang, H., Wu, H.-m. and Cheung, A.Y. *Pollination induces mRNA poly(A) tail-shortening and cell deterioration in flower transmitting tissue* 715
Warner, S.A.J. *see* Mur, L.A.J.
Webb, A.A.R., McAinsh, M.R., Mansfield, T.A. and Hetherington, A.M. *Carbon dioxide induces increases in guard cell cytosolic free calcium* 297
Webb, D.R. *see* Bonfiglioli, R.G.
Weber, H., Buchner, P., Borisjuk, L. and Wobus, U. *Sucrose metabolism during cotyledon development of* Vicia faba *L. is controlled by the concerted action of both sucrose-phosphate synthase and sucrose synthase: expression patterns, metabolic regulation, and implications for seed development* 841
Weiler, E.W. *see* Schmidt, R.C.
West, J. *see* Schmidt, R.
White, R.F. *see* Mur, L.A.J.
Whitelam, G.C. *see* Halliday, K.
Wiegant, J. *see* Fransz, P.F.
Willats, W.G.T. and Knox, J.P. *A role for arabinogalactan-proteins in plant cell expansion: evidence from studies on the interaction of β-glucosyl Yariv reagent with seedlings of* Arabidopsis thaliana 919
Willmitzer, L. *see* Kauschmann, A.
Wobus, U. *see* Weber, H.
Wong, L.M., Abel, S., Shen, N., de la Foata, M., Mall, Y. and Theologis, A. *Differential activation of the primary auxin response genes,* PS-IAA4/5 *and* PS-IAA6, *during early plant development* 587

Wu, H.-m. *see* Wang, H.

Xu, W., Campbell, P., Vargheese, A.K. and Braam, J. *The Arabidopsis XET-related gene family: environmental and hormonal regulation of expression* 879

Yang, P. *see* Negruk, V.
Yoder, J.I. *see* Goldsbrough, A.P.

Zabeau, M. *see* Bachem, C.W.B.
Zabel, P. *see* Bonnema, G.
Zabel, P. *see* Fransz, P.F.
Zhang, Y.Q. *see* Bonnema, G.
Zrenner, R., Krause, K.-P., Apel, P. and Sonnewald, U. *Reduction of the cytosolic fructose-1,6-bisphosphatase in transgenic potato plants limits photosynthetic sucrose biosynthesis with no impact on plant growth and tuber yield* 671

Subject index

α-tubulin gene 737
abnormal phenotypes 147
abscisic acid (ABA) 205, 549, 729
Ac 927
ACC oxidase 525
AccIII 579
Activator 911, 935
adenine 891
AGP cDNA clone 313
ALA synthesis 867
aminolevulinate 867
anther 625, 777
anthocyanin pigmentation 927
antisense 671
  inhibition 147
  RNA 613
apical meristem 399
APRTase 891
Arabidopsis 63, 205, 305, 325, 341, 391, 409, 421, 935
Arabidopsis thaliana 13, 101, 357, 441, 537, 573, 579, 755, 879, 891, 919, 947,
  transgenic 513
arabinogalactan-protein 313, 777, 919
arbuscular mycorrhizae 737
asparagine synthetase 1
ATP synthase 21
ATPase (V-type) 729
aurea 173
autoregulation 911
auxin 85, 659

β-glucosyl 919
β-glucuronidase - *see* GUS
bilateral symmetry 659
blue native gel electrophoresis 357
branchpoint 369
Brassica nigra 13
Brassicaceae 625
brassinosteroid 701
bZIP 283

calcium 297
CAM (crassulacean acid metabolism) 729
cambium 639
candidate gene 13
carbohydrate repression 1
carbon dioxide 297
carotenoids 505, 601
CCG trinucleotides 579
cDNA 1, 101
cDNA-AFLP 745
cell elongation 919
cell expansion 701
cell wall 71, 477, 919
CHEF electrophoresis 259, 273
chilling 777
chimaeric clone 755
chlorate resistance 819
chlorophyll 867
  biosynthesis 513
chloroplast development 649
chloroplasts 693
chromosome rearrangement 767

CHS expression 63
cis elements 21
CLA1 649
CLSM 85
CO 13
competence 55
complementation 391
concerted evolution 273
conformational change 243
Cuphea 167
cytokinin 85, 867, 891
cytosine methylation 579
cytosolic-1,6-bisphosphate 671

D1, D2 protein 693
Δ^7-sterol-C-5-desaturase 391
ddm1 579
deacetylase 809
development 525, 745
differential display 745
differential expression 587
$DiOC_6(3)$ 85
DNA fiber 421
DNA markers 755
dominant mutation 441
downy mildew 851
Ds 927
dwarf 701

eceriferum mutants 137
elongated 305
embryo 549
  -defective 205
embryogenesis 205
embryogenic lines 573
epicuticular wax biosynthesis 137
epigenetics 183
ER 85
ERG3 391
Erysiphe cichoracearum 341
ethylene 147, 525
expressed sequence tag 101
expression (of nitrilase) 683
extended chromatin 421
extensin 477

F_1F_0 ATP synthase 357
FAD 601
fatty acid elongation 137
FISH 421
floral induction 947
flower development 93
flowering 55, 947
fluorescence *in situ* hybridization 183
formate dehydrogenase 357

G-box-binding factor 217
galactose-rich 71
gene expression 1, 195, 525, 841, 867,
gene regulation 325
gene silencing 787
genome mapping 273
genomic sequencing 183

genomics 273
gibberellins 305
Gigaspora margarita 737
globular proembryo 659
glossy mutants 137
glycoprotein 71
greening 513
guard cells 297
GUS 409, 587
  reaction 737
  reporter gene 31, 505

harpin 431
hemA 867
hexose transporter 491
high molecular weight DNA 125
high resolution mapping 421
homeodomain 639
homology-dependent gene silencing 183
HSC80 325
HSP60 357
Hsp70 601
hy2 441
hydroxyproline-rich glycoprotein 71, 477
hypersensitive response 431

I-*Ppo*I 259
in situ hybridization 457, 767
indoleacetic acid 683
indoleacetonitrile 683
inducible destruction of plant tissues 809
inducible male sterility 809
introns 381

Kas- 1 341

Lactuca sativa 851
laurate 229
Lc 927
Lea 205
lectin genes 31
Lemmi8, -9, -11 45
leucine zipper 217, 639
light 305
  induction 867
  -regulated genes 21
long-day plant 947
low affinity uptake 195
lox genes 745
Lycopersicon 173

MADS box 399
maintenance methylation 579
maize 549, 737
malate transport 799
map-based cloning 755
Medicago truncatula 31, 491
medium-chain fatty acids 167
Meloidogyne 45
membrane association 601
Mesembryanthemum crystallinum 537, 729
metabolic regulation 1, 841
methylase 125
methylation 183
microspore stage 777
mineral nutrition 195
mitochondria 85, 829
mRNA 715
mustard 399
mutagenesis 935
mutant splice sites 381
mutants 173, 305
myo-inositol 537

N-acetyl-phosphinothricin 809
NADPH:protochlorophyllide oxireductases (POR) A/B 513
napin 229
Narcissus pseudonarcissus 601
negative light regulation 513
Nicotiana - see also tobacco
  alata 71
  tabacum 683
nitrate reductase 819
nitrate transport 819
nitrilase 683
node-counting 55
nodule ontogeny 31
nucleolar protein 549

oleosin 625
oligosaccharide 777
one-day cycle induction 947
Oryza sativa 217
outer mitochondrial membrane 829

Papaver rhoeas 467
paramutation 183
partial digestion 125
pathogen attack 559
PCR screening 125
Pds 505
peroxidase 477
Petunia hybrida 767
Petunia inflata 613
phosphinothricin 809
photolabelling 799
photomorphogenesis 173, 243, 441
photoperiod 159, 399
photoreceptor 243
photosynthetic mutant 649
phyB 159
physical map 755
phytochrome 173, 243
phytochrome A 63
  mutant 513
phytochrome B 63
phytoene desaturase 601
phytohormones 701
pistil cell types 715
plant development 587
plant gene expression 729
plant RNA processing 381
Plantago major 93
plastid signal 21
pollen 467, 625
  abortion 613
  development 613
pollination 715

polyamines 147
poppy 467
post-meiotic development 613
post-transcriptional inactivation 7878
post-transcriptional transgene silencing 899
potassium channel 195
potato 147, 159, 357, 671, 829
potentiation 559
pre-mRNA splicing 369, 381
precursor protein 829
primary auxin genes 587
programmed cell death 431
promoter analysis 21
protein crosslinks 477
protein import receptor 829
protein turnover 693
protoplasts 85
pulsed-field gel electrophoresis 259
purine salvage 891

QTL 13
quantitative RT-PCR 867

rapeseed 229
rDNA 273
receptor 467
receptor-like kinase 613
recombinant inbred lines 259
regulation 819
respiratory chain 357
retrotransposon 409
RFLP mapping 259
Rhizobium-legume symbiosis 31
rice 777
RNA 457, 787
root development 919
root-knot nematodes 45
rRNA genes 259

S-adenosylmethionine decarboxylase 147
S-protein 467
SI-0 341
salicylic acid 559
salt stress 729
secondary metabolites 851
self-incompatibility 467
serine-rich region 243
SHY 441
signal transduction 21, 297
silencing 325
size-regulation 55
skotomorphogenesis 701
Solanum tuberosum - *see* potato
somatic embryogenesis 573
source/sink 93
spinach 21
3' splice site selection 369
splicing signals 381
stomata 297
storage product synthesis 841
storage proteins 205
style-specific 71
sucrose biosynthesis 671
sucrose synthase 841
sucrose transport 93
sucrose-phosphate synthase 841
suppressor 441

T-DNA 767
  mutant 649
  tagging 137
tagging 935
tapetum 625
thioesterase 167, 229
tissue-specific expression 313
tobacco 85, 409, 787, 911
  transgenic 683
tomato 125, 283, 409, 421, 927
tonoplast 799
tospovirus resistance 899
trangenic lettuce 899
transcription 911
  factor 217, 283
transcriptional inactivation 787
transcriptional regulation 217
transgene 325
transgenic expression 229, 787
transgenic plants 31, 195, 671
transgenic tobacco plants 587, 737
transition to flowering 399
transketolase 649
transposable elements 911
transposase 911
transposition 927
transposon 935
triglyceride 167, 229
tryphine 625
tuberization 159, 745

ultrastructure 457
UV-B 693

vacuole 729, 799
variegation 325
vascular system 283
vernalization 947
vesicular-arbuscular mycorrhizal symbiosis 491
Vicia faba seed development 841
viroids 457

Wa-1 341
wheat 659

XET-related gene family 879
xylem 283, 639

YAC 755
  library 125
Yariv reagent 919
yeast artificial chromosome 125
yellow-green-2 173

Zea mays L. 1